



The Chemical Company

August 5, 2010

Mr. Craig Barnaby
Demand Products, Inc
1055 Nine North Drive
Alpharetta, GA 30004
craig@demandproducts.com

Re: Demand Products Fasteners

Dear Mr. Barnaby:

Please be advised that the proper use of Demand Products, Inc. washers to attach insulation board will not affect the issuance of a warranty from the Wall Systems business of BASF Corporation. The washers for use with the corresponding EIF systems currently marketed by BASF Corporation are as follows:

Demand Washer	Senergy	Finestone	Acrocrete	SonoWall
PB & PBH	Senturion I, II, III	Pebbletex-D, D7, D10M	Acrowall-ESV 1,2,3	FlexWall-WMR1, R2, R3
DP300	Senerthik	Impact-R	Acrowall-PM	PM Wall
DP300 & 400	Senerflex and Senturion systems with polyisocyanurate insulation board	Quik Clad and Quik Clad-D systems	Acrowall-ES and Acrowall-ESV systems with polyisocyanurate insulation board	FlexWall and FlexWall-WMR systems with polyisocyanurate insulation board

Ensure insulation board is attached according to our published fastener pattern recommendations.

Please feel free to contact me if you have any questions or comments.

Regards,

Eric Auman
Engineering Specialist

BASF Corporation
Wall Systems
3550 St. John's Bluff Rd. South
Jacksonville, FL 32224
Phone: 800-221-9255
Fax: 904-996-6300
www.wallsystems.basf.com



DRYVIT SYSTEMS, INC.

www.dryvit.com

One Energy Way
P.O. Box 1014
West Warwick, RI 02893

Tel: (401) 822-4100
Fax: (401) 823-8820 (Engr./R&D)
Fax: (401) 822-1980 (Mktg.)

September 18, 2006

Mr. Craig Barnaby
Demand Products, Inc.
1055 Nine North Drive
Alpharetta, GA 30004

RE: Fastener Evaluation

Dear Craig:

We have reviewed the testing and descriptive literature you sent and hereby approve the use of the Demand PB, PBH, DP300 and DP400 washers for use in conjunction with the corresponding Dryvit EIF systems currently marketed as follows.

Dryvit PB systems including: Outsulation[®], Residential MD System[®], Light Commercial MD Systems[®] 1 – 3: PB and PBH washers.

Dryvit Ultralation[®] System and Sprint[®] MD System[®]: DP 300 and DP 400 washers.

Use of these Demand washers to attach the insulation board to the substrate will not affect the issuance of a warranty for the corresponding Dryvit EIF system being attached.

If you should have any questions or need additional information, please do not hesitate to contact me.

Sincerely,

Roland Serino P.E.
System Engineering Manager

RS/cld



Master Wall Inc.

Building a Culture of Excellence

EIFS

Stucco

Drainage Systems

Coatings

Elastomerics

Corporate • P.O. Box 397 • Fortson • Georgia 31808 • 800-755-0825
Technical Service • 800-760-2861 • FAX 734-433-0930

Thursday, November 12, 2009

Pete Rushton
Demand Products
1055 Nine North Drive
Alpharetta, GA 30004

Ref: EIFS and Stucco Plates

Dear Pete:

I am writing to recognize the use of the following EIFS and stucco plates for use with Master Wall Systems:

Aggre-flex EIFS Aggre-flex Drainage EIFS	QRW1 Drainage EIFS	Master Wall OCS (One Coat Stucco) Cemplaster Stucco	Traditional Stucco
PB Washer PBH Washer	DP300 Washer DP400 Washer	DP300 Washer DP500 Tab Washer	DP300 DP500 Tab Washer

Please follow Master Wall's published fastening patterns for approved applications. Should you have any questions or require more information, please feel free to call me at 800-760-2861.

Sincerely,

Dennis Deppner
Technical Services Manager
tech@masterwall.com




masterwall.com

Fastener Length Calculator


Calculate the fastener size for your project

Fastener Type	Insulation Thickness (1" to 4" - Aggre-flex, 5/8" to 2" QRW1)	Sheathing Thickness	Minimum Penetration	Total Length	Available Sizes (Courtesy Wind-Lock)
Wood		Gypsum 1/2 to 5/8"	3/4"		1-5/8", 2", 2 1/2", 3", 3 3/4", 4-1/2"
Wood		Plywood 1/2 to 3/4"	1/4"		1-5/8", 2", 2 1/2", 3", 3 3/4", 4-1/2"
Light Metal			1/4"		1-5/8", 2 1/4", 2 5/8", 3", 4", 4-1/2"
Steel		Gypsum 1/2 to 5/8"	1/4"		1-5/8", 2", 2 5/8", 3", 3 3/4", 4-3/8", 5", 6", 7", 8"
Masonry			1" to 1-3/4" (Pre-drill hole 1/2" deeper than fastener penetration)		1-3/4", 2 1/4", 2 3/4", 3-1/4", 4"

Aggre-flex Systems



QRW1 Drainage EIFS



PAREXUSA

April 28, 2010

Elizabeth Wilson
Demand Products, Inc.
1055 Nine North Drive
Alpharetta, GA 30004


Dear Ms. Wilson:

This is to confirm that Parex USA, Inc. approves the Demand Products, Inc. PB Washer with the accompanying appropriate Demand Products corrosion resistant screw for the Parex LCR EIF System.

Please feel free to contact me if you have any other questions.

Sincerely,

Parex USA, Inc.



Peter Harrison
Senior Technical Service Manager



Sto Corp.
3800 Camp Creek Parkway
Building 1400, Suite 120
Atlanta, GA 30331
Tel: 404-346-3666
Toll Free: 1-800-221-2397
Fax: 404-346-3119
www.stocorp.com

August 27, 2010


Mr. Craig Barnaby
Demand Products, Inc.
1055 Nine North Drive
Alpharetta, GA 30004

Re: Use of Demand Fasteners in StoTherm® RainScreen System

Dear Mr. Barnaby:

This is to confirm that the Demand PB and PBH washers with appropriate fasteners are acceptable for use in the StoTherm RainScreen System. Verification of compliance with the code and resistance to design wind pressures is the responsibility of the design professional and should be conducted on a job-by-job basis. The effects of thermal bridging should also be taken into consideration when using mechanical fasteners to attach insulation in exterior insulation and finish systems.

Sincerely,



Tom Remmele
Director, Technical Services / R&D
Sto Corp.

TOTAL WALL

TOTAL QUALITY. TOTAL SERVICE. TOTAL SATISFACTION.

October 22, 2007

Demand Products
1055 Nine North Drive
Alpharetta, GA 30004

Subject: Fastener Approval


Dear Sir:

We have reviewed the technical literature forwarded to us by your agent, Steve Mork.

Please be advised that we approved Demand PB and PBH washers for use with Total Wall Class PB and Class MD EIFS. Further, we approve DP 300 and DP 400 washers for use with Total Wall Class PM and Class PI EIFS.

The proper use of the approved Demand washers will not affect warranty eligibility of a Total Wall project. If I can be of further assistance, please don't hesitate to call.

Sincerely,



Dennis Rose
Technical Director
Total Wall, Inc.
Madison, WI
888-702-9917
drose@totalwall.com
